No.



9600363

THE UNITED STATES OF AMERICA

TO ALL TO WHOM VHESE: PRESENES SHALL COME: The Phia Agricultural Research and Debelopment Center The Phia State University

MUCCUS, THERE HAS BEEN PRESENTED TO THE

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED DISTINCT VARIETY OF SEXUALLY REPRODUCED, OR TUBER PROPAGATED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF TWENTY YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC EPILENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE LET TO EXCLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, OR STING IT, OR EXPORTING IT, OR CONDITIONING IT FOR PROPAGATION, OR STOCKING IT FOR ANY OF THE SURPOSE, OR USING IT IN PRODUCING A HYBRID OR DIFFERENT VARIETY THEREFROM, TO THE EXTENT BY THE PLANT VARIETY PROTECTION ACT. IN THE UNITED STATES SEED OF THIS VARIETY (I) SHE PLANT VARIETY NAME ONLY AS A CLASS OF CERTIFIED SEED AND (2) SHALL CONFORM TO THE NUMBER OF THE RIGHTS. (84 STAT. 1542, AS AMENDED, 7 U.S.C. 2321 ET SEO.

WHEAT. COMMON

'Hopewell'

In Testimony Mexicol, I have hereunto set my hand and caused the seal of the Plant Bariety Protection Office to be affixed at the City of Washington, D.C. this eighth day of Way, in the year of our Lord two thousandons.

lank for an menemon

retary of Agricultur

ALLY. Include form number and date on all re	productions.	<u> </u>	FORM APPROVED - OMB NO. 0581-005
U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE SCIENCE DIVISION - PLANT VARIETY PROTECTION OFFICE	- 	The following statements are me 1974 (5 U.S.C. 552a).	ide in accordance with the Privacy Act of
ATION FOR PLANT VARIETY PROTECTION C	ERTIFICATE	Application is required in order certificate is to be issued (7 U.S. until certificate is issued (7 U.S.)	to determine if a plant variety protection .C. 24211. Information is held confidentia. 2. 24261.
The tructions and information collection burden statement (Up at a PAPUCANTIS) has it is to appear on the Certificate)		2. TEMPORARY DESIGNATION OR	3. VARIETY NAME
12. N		EXPERIMENTAL NUMBER	
Ohio State University, Ohio Agricul	tural.	ОН 490	HOPEWELL
ADDRESS (Street and No., or R.F.D. No., City, State, and ZIP Code, and Country)		6. TELEPHONE finckide area code!	FOR OFFICIAL USE ONLY
Dept. of Horticulture & Crop Science OSU/OARDC 1680 Madison Avenue		(330) 263-3885	PYPO NUMBER OF COLUMN
Wooster, OH 44691-4096		6. FAX finclude area codel	DATE
		(330) 263–3887	09/04/96
7. GENUS AND SPECIES NAME 8	. FAMILY NAME (Botan	ical)	FILING AND EXAMINATION FEE
Triticum aestivum	Graminne		: 2450 00
9. CROP KIND NAME (Common name)			5 DATE
Soft Red Winter Wheat			R 6/////
10. IF THE APPLICANT NAMED IS NOT A "PERSON", GIVE FORM OF ORGANIZATION	Corporation, partnersh	ip, association, etc.) (Common name)	2000
University Agricultural Experiment St	ation ——————		320,700
11. IF INCORPORATED, GIVE STATE OF INCORPORATION		12. DATE OF INCORPORATION	3/9/01
13. NAME AND ADDRESS OF APPLICANT REPRESENTATIVE(S), IF ANY, TO SERVE	N THIS APPLICATION A	NO BECEIVE ALL BARERS	14. TELEPHONE finehole area code!
Robert W. Gooding DR. KIM CAMPBE		WD VECEIVE WIT LYLEV?	MAA-118451997
214A Williams Hall Hoppmeture And			(330) 263-388 7
OSU/OARDC	an source		16. FAX (include area code)
1680 Madison Avenue Wooster, OH 44691-4096	,		(330) 263–3887
16. CHECK APPROPRIATE BOX FOR EACH ATTACHMENT SUBMITTED (Follow instru	ctions on reversel		
Exhibit A. Origin and Brooding History of the Variety			
b. [X] Exhibit B. Statement of Distinctness			
d. X Exhibit C. Objective Description of the Variety d. X Exhibit D. Additional Description of the Variety			
e. 🔀 Exhibit E. Statement of the Basis of the Applicant's Ownership			
Voucher Sample (2,500 viable untracted seeds or, for tuber propagated var			- d = d =
g. 🗵 Filing and Examination Fee (\$2,460), made payable to "Treesturer of the Un			ed in a public repusitory;
17. DOES THE APPLICANT SPECIFY THAT SEED OF THIS VARIETY BE SOLD BY VARI	ETY NAME ONLY, AS A	CLASS OF CERTIFIED SEED? USee Seesi	on 83ial of the Plant Variety Protection Acti?
A YES 81 "yes," answer items 18 and 19 below!	[] NO #(*no, * go t	to item 201	
18. DOES THE APPLICANT SPECIFY THAT SEED OF THIS VARIETY BE LIMITED AS T GENERATIONS?	O NUMBER OF 19.	IF "YES" TO ITEM 18, WHICH CLASSES	OF PRODUCTION BEYOND BREEDER SEED?
☑ YES □ NO		TOUNDATION TREGISTER	ED DERTIFIED
20. HAS THE VARIETY OR A HYBRID PRODUCED FROM THE VARIETY BEEN RELEASE YES 81 'yes, give names of countries and dates!		R SALE, OR MARKETED IN THE U.S. OR (THER COUNTRIES?
U.S. only - 1st Date of Sale, Sept. 7	7, 1995		
21. The applicant(s) declare that a viable sample of basic seed of the variety will be furn applicable, or for a tuber propagated variety a tissue culture will be deposited in a propagated variety.	shed with application an		rdance with such regulations as may be
The undersigned applicant(s) islare) the owner(s) of this sexually reproduced or tuber Section 41, and is entitled to protection under the provisions of Section 42 of the Pla			stinct, uniform, and stable as required in
Applicant(s) is(are) informed that false representation herein can jeopardize protection			
SIGNATURE OF APPLICANT JOWNEY SII	SIGNATUR	E OF APPLICANT 10 wner(s)	500 m 140 m 250 m 200 m
Transledy Sailand any gell	<u> </u>	Z. Lagre	
Dr. Vimboriu Coning Commission		use print or type!	
Dr. Kimberly Garland Campbell	···	nas L. Payne	DATE
Assistant Professor 8/30/	96 Dire	ector	8/30/96

Exhibit A - Origin of 'Hopewell'

Hopewell originated at the Ohio State University/Ohio Agricultural Research Center. The final cross was made in 1982. Previous experimental numbers for Hopewell were 'R19182B-33-2' and 'OH490'. The pedigree of Hopewell is: 'Logan'/'Hart'//3270A/'Rousalka'/3/TN1685/'IA22'//6767/216-6-3.

Logan (CItr 14156) was released by the Ohio State University (Ohio Agricultural Experiment Station (AES)) in 1967 (Lafever, 1968).

'Hart' (CItr 17426) was released by the University of Missouri (Missouri AES) in 1976 (Sechler et al., 1977).

32070A was an Ohio experimental line with the pedigree: 2669F₂("S410'/Logan//Logan/'Arthur')/ Logan. S410 was a dwarf spring wheat of unknown ancestry. Arthur (CItr 14425) was released by Purdue University (Indiana AES) in 1968 (Patterson et al., 1974).

TN1685 was an Ohio AES experimental line from the cross 'Heines VII'//Pur5752cl-7/'Talbot'. Heines VII (PI32877) was developed by Heine-Peragis Getreidezucht in Lower Saxony, Germany. Pur5752cl-7 was an Indiana AES experimental line. Talbot (CItr 13781) was developed by Agriculture Canada in 1962 (Whiteside and Gfeller, 1964).

6767 was an Ohio AES experimental line with the pedigree TN1493/Pur 5724B3-5P-8-2. TN1493 was an Ohio experimental line with the pedigree 'Redcoat'/TN1345. Redcoat (Cltr 13170) was released by the Indiana AES in 1961 (Patterson et al., 1978). TN1345 was an Ohio AES experimental line with the pedigree 'Lucas/Cltr 12530. Lucas (Cltr 12990) was released by the Ohio AES in 1959 (Heyne, 1960).

Materials received through International Rust and Powdery Mildew Nursery Program include Rousalka (PI520076), a winter wheat cultivar developed by CIMMYT; 'IA22' (IAPAR 22-GUARAUNA) a *T. aestivum* cultivar developed in Brazil, and 216-6-3, a French experimental line of unknown pedigree possessing resistance to *Stagonospora nodorum*.

Exhibit A - Breeding History of 'Hopewell'

- 1982: final cross made in the OSU-OARDC Greenhouse, designated as 'R19182B'.
- 1983: F₁ generation, field increase without selection on the OARDC research farm, Wooster OH.
- 1984: F₂ generation, field increase without selection on the OARDC research farm, Wooster OH. The population R19182B was observed to be segregating for height, head type, chaff color, and resistance to powdery mildew (*Blumeria graminis* (DC.) E.O. Speer), Stagonospora nodorum (*Stagonospora nodorum* (Berk.) Castellani & E.G. Germano), and leaf rust (*Puccinia recondita* Roberge ex Desmaz. f. sp. *tritici* (Eriks. & E. Henn.) D.M. Henderson).
- 1985: F₃ generation, field increase on the OARDC research farm. Thirty spikes were picked randomly to advance to the next generation.
- 1986: F₄ generation, head row nursery on the OARDC research farm. 30 hill plots, each containing grain from a single F₃ spike, were evaluated for height, heading date, and resistance to *B. graminis*. Two spikes were selected from a single F₄ hill plot.
- 1987: F₅ generation, head row nursery on the OARDC research farm. Two hill plots, each containing grain from a single F₄ spike were planted in hill plots and evaluated for height, heading date, uniformity and resistance to *B. graminis*.
- 1988: F₆ generation, plant row nursery on the OARDC research farm. Grain from a single F₅ hill plot was evaluated in a single row plot, 3.3m in length, for heading date, height, resistance to *B. graminis*, *S. nodorum*, standability, and uniformity. Harvested grain was evaluated for yield, test weight, and milling and baking quality
- 1989: F₇ generation, preliminary replicated yield trial on the OARDC research farm.
- 1990: F₈ generation, renamed OH490. Advanced replicated yield trial on the OARDC research farm, Wooster OH; OARDC Northwest Branch, Hoytville OH; and OARDC Western Branch, South Charleston OH. Purification head selection was begun by randomly picking 60 heads from the Wooster yield trial.
- 1991: F₉ generation, advanced replicated yield trial on the OARDC research farm, Wooster OH; Northwest Branch, Hoytville OH; Western Branch, South Charleston OH; and OARDC Southern Branch, Ripley OH. A separate purification head row nursery consisting of 60 head rows, each containing grain from a single F₈ spike were planted in hill plots and evaluated for similarity of heading date, height, plant and spike morphology.

- 1992. F₁₀ generation, Statewide replicated yield trial: OSU/OARDC Research Farms: Wooster OH; Northwest Branch, Hoytville OH; Western Branch, South Charleston OH; Vegetable Crops Branch, Fremont OH; Southern Branch, Ripley OH; Mahoning County Farm, Mahoning OH; Ohio Foundation Seeds, Croton OH. Uniform Advanced Four-state Nursery: Wooster OH; West Lafayette IN; Champaign IL; Columbia MO. A separate purification plant row nursery was established from grain harvested from selected F₉ purification head rows, grown in single row plots, 3.3m in length, and evaluated for similarity of heading date, height, plant and spike morphology.
- Data collected on yield trials in the F₇-F₁₀ generations included fall stand, spring stand, resistance to wheat yellow mosaic virus, *B. graminis*, *S. nodorum*, *P. recondita*, heading date, height, standability, plot yield, and test weight. Milling and baking quality was evaluated in the F₇-F₁₀ at the USDA-ARS Soft Wheat Quality Laboratory at Wooster OH using that laboratory's micro and advanced quality testing procedures. The F₇-F₁₀ generations of OH490 were also evaluated in dedicated disease screening nurseries for resistance to *B. graminis*, *S. nodorum*, and *P. recondita*.
- 1993: F₁₁ generation, statewide replicated yield trial, OSU/OARDC Research Farms: Wooster OH; Northwest Branch, Hoytville OH; Western Branch, South Charleston OH; Vegetable Crops Branch, Fremont OH; Southern Branch, Ripley OH; Mahoning County Farm, Mahoning OH; Ohio Foundation Seeds, Croton OH. Uniform Advanced Four-state Nursery: Wooster OH; West Lafayette IN; Champaign IL; Columbia MO. A separate purification increase nursery was established from grain harvested from selected F₁₀ purification plant rows. The purification increase nursery was grown as drill strips, 4.5 ft. in width and 50 ft. in length. Selection occurred for similarity of heading date, height, plant and spike morphology.
- 1994: F₁₂ generation, breeders seed was compiled from selected uniform purification increase drill strips and grown by Ohio Foundation Seed Inc., at Croton OH.

Fall 1994: OH490 released as 'Hopewell'.

Uniformity and stability had been observed over four generations at the time of release.

Variants: In Breeder's seed nurseries, Hopewell has shown < 0.3% total variants involving tall plants, awned spikes, and spikes exhibiting blue-green coloration.

References:

- Heyne, E.G., 1960. Registration of improved wheat varieties XXIV. Agron. J. 52:655-658.
- Lafever, H.N., 1968. Registration of Logan wheat. Crop Sci. 8: 511-512. Patterson, F.L., R.L. Gallun, J.J. Roberts. 1974. Registration of Arthur wheat. Crop Sci 14:910.
- Patterson, F.L., J.F. Schafer, R.L. Gallun. 1978. Registration of Redcoat wheat. Crop Sci. 18:527.
- Sechler, D., J.M. Poehlman, R.P. Pfiefer, 1977. Registration of Hart wheat. Crop Sci 17:980.
- Whiteside, A.G.O. and F. Gfeller, 1964. Registration of Talbot wheat. Crop Sci. 4:667.

Exhibit B: Novelty Statement

Hopewell is most similar to Freedom (Gooding et al., 1997). Hopewell differs from Freedom in that Hopewell has red chaff at maturity while Freedom has white chaff. Hopewell carries no known resistance genes to leaf rust (*Puccinia recondita* Roberge ex Desmaz. f. sp. *tritici* (Eriks. & E. Henn.) D.M. Henderson) as determined by the USDA Cereal Disease laboratory, St. Paul MN. Freedom carries the *Lr26* gene. Hopewell carries powdery mildew (*Blumeria graminis* (DC.) E.O. Speer) resistance genes *Pm2* and *Pm6* while Freedom possesses *Pm8* (Pershad et al., 1994)

Both Lr26 and Pm8 are present on the 1B/1R chromosome translocation derived from Petkus rye through Kavkaz which Freedom possesses (Berzonsky et al., 1990). Hopewell does not possess the 1B/1R translocation. Hopewell has no known resistance genes for Hessian Fly (Mayetiola destructor Say.), and Freedom possesses the H3 gene for Hessian Fly resistance (data determined at the USDA-ARS Crop Production and Pest Control Research Unit, West Lafayette IN).

References:

- Berzonsky, W.A., R.L. Clements, H.N. lafever. 1990. Identification of 'Amigo' and 'Kavkaz' translocations in Ohio soft red winter wheats (*Triticum aestivum* L.) Theor. Apl Genet. 81:629-634.
- Gooding, R.L., H.N. Lafever, K.G. Campbell, L.D. Herald. 1997. Registration of Freedom wheat. Crop Sci. 37:1007.
- Pershad, R. R., Lipps, P. E., and Campbell, K. G. 1994. Identification of powdery mildew resistance genes in soft red winter wheat cultivars and Ohio breeding lines. Plant Dis. 78:1072-1075).

U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE SCIENCE DIVISION BELTSVILLE, MARYLAND 20705

EXHIBIT C
(Wheat)

9600363

OBJECTIVE DESCRIPTION OF VARIETY WHEAT (Triticum spp.)

NAME OF APPLICANT(S)	FOR OFFICIAL USE ONLY
The Ohio State University, OARDC	
ADDRESS (Street and No. or R.F.D. No., City, State, and Zip Code)	PVPO NUMBER
1680 Madison Avenue Wooster, OH 44691-4096	VARIETY NAME
WOOSTEL, OIL 44091-4090	HOPEWELL
	TEMPORARY OR EXPERIMENTAL DESIGNATION
	ОН 490
PLEASE READ ALL INSTRUCTIONS CAREFULLY: Place the appropriate number that describes the varietal of Place a zero in the first box (e.g. or or or or less respectively. Day on a minimum of 100 plants. Comparative data should be determined from varieties entered in the same trial. Roy standard may be used to determine plant colors; designate system used: YXY (CIE 1931) COLOR System Please answer all questions for your variety; lack of response may delay progress of your app 1. KIND:	ta for quantitative plant characters should be based all Horticultural Society or any recognized color at the m
1=Common 2=Durum 3=Club 4=Other (SPECIFY)	
2. VERNALIZATION:	
2 1=Spring 2=Winter 3=Other (SPECIFY)	
3. COLEOPTILE ANTHOCYANIN:	
I=Absent 2=Present	
. JUVENILE PLANT GROWTH:	
3 1=Prostrate 2=Semi-erect 3=Erect	
. PLANT COLOR (boot stage):	
1 = Yellow-Green 2 = Green 3 = Blue-Green	
. FLAG LEAF (boot stage):	
$1 = Erect \qquad 2 = Recurved$	1 = Not Twisted 2 = Twisted
EAR EMERGENCE:	· · · · · · · · · · · · · · · · · · ·
0 3 Number of Days Earlier Than Freedom'	*
Number of Days Later Than	*
ANTHER COLOR:	
1 = YELLOW 2 = PURPLE	
PLANT HEIGHT (from soil to top of head, excluding awns):	
cm Taller Than	*
2. 5 cm Shorter Than Freedom	*

HOPEWELL - OH 490 Exhibit C (Wheat) Page 13. SEED: (continued) E. COLOR 1 = White3 = Red 4 = Other (SPECIFY) 2 = Amber3 F. TEXTURE 2=Soft 1=Hard G. PHENOL REACTION (see instructions): 1 = Ivory2 = Fawn3 = Light Brown4 = Dark Brown 5 = Black14. DISEASE: (0=Not Tested; 1=Susceptible: 2=Resistant; 3=Intermediate; 4=Tolerant) PLEASE INDICATE THE SPECIFIC RACE OR STRAIN TESTED Stem Rust (Puccinia graminis f. sp. tritici) Leaf Rust (Puccinia recondita f. sp. tritici) Lr gene(s) present but not identified Stripe Rust (Puccinia striiformis) Loose Smut (Ustilago tritici) Tan Spot (Pyrenophora tritici-repentis) Flag Smut (Urocystis agropyri) Halo Spot (Selenophoma donacis) Common Bunt (Tilletia tritici or T. laevis) Septoria nodorum (Glume Blotch) Dwarf Bunt (Tilletia controversa) Septoria avenae (Speckled Leaf Disease) Karnal Bunt (Tilletia indica) Septoria tritici (Speckled Leaf Blotch) Powdery Mildew (Erysiphe graminis f. sp. tritici) Resistance genes: Pm2/Pm6 Scab (Fusarium spp.) "Snow Molds" "Black Point" (Kernel Smudge) Common Root Rot (Fusarium, Cochliobolus and Bipolaris spp.) 0 Barley Yellow Dwarf Virus (BYDV) Rhizoctonia Root Rot (Rhizoctonia solani) Soilborne Mosaic Virus (SBMV) Black Chaff (Xanthomonas campestris pv. translucens) Wheat Yellow (Spindle Streak) Mosaic Virus Bacterial Leaf Blight (Pseudomonas syringae pv. syringae) Wheat Streak Mosaic Virus (WSMV) Other (SPECIFY) Other (SPECIFY) Other (SPECIFY) Other (SPECIFY) ___ Other (SPECIFY) Other (SPECIFY) -Other (SPECIFY)

15.	INSECT:	(0=Not Tested;	1=Susceptible;	2=Resistant;	3=Intermediate;	4=Tolerant)	Exhibit C	(Wheat) P
			PLEASE	SPECIFY BIOT	TYPE (where needed)			
	Hessian Fly	(Mayetiola destr	uctor)	Ot	her (SPECIFY)			
	Stem Sawfly	(Cephus spp.)		Ot	her (SPECIFY)			
	Cereal Leaf	Beetle <i>(Oulema 1</i>	nelanopa)	Oti	ner (SPECIFY)			
e e e	Russian Aph	id <i>(Diuraphis no</i>	oxia)	Otl	ner (SPECUFY)	A Company of the Comp		
	Greenbug (S	chizaphis gramin	num)	Oth	er (SPECIFY)			
	Aphids 0				er (SPECIFY)			· · · ·

.69 2Eb -3 46:19

OAVA-SMA-AOSU

Exhibit D

Additional Description of the Cultivar

As stated in Exhibit B, Hopewell is comparable to Freedom in yield potential while being three days earlier in maturity. Differences in disease resistance also exist. While Hopewell carries no identified genes for leaf rust (Puccinia recondita Roberge ex. Desmaz.) resistance, Freedom is resistant to prevalent races of this disease. Hopewell has no known resistance genes for Hessian Fly (Mayetiola destructor Say.), while Freedom possesses the H₃ gene for Hessian Fly resistance. Freedom is also resistant to all selected isolates of stem rust (Puccinia graminis Pers.:Pers.) while Hopewell is categorized as susceptible with Lr genes present but not identified.

Appendices

I.	Color systems
II.	Mature Spike Colorimeter Data
III.	Leaf Colorimeter Data
IV.	Yield Comparisons of Hopewell & Freedom
V.	Data from Ohio Tests comparing Hopewell, Freedom, & Glory
VI.	Milling Data, 1992
VII.	Milling Data, 1994
VIII.	Milling Data, 1995
IX.	University Policy on Patents and Copyrights

COLOR SYSTEMS

Minolta CR-300 series Chroma Meters offer five different color systems for measuring absolute chromaticity [CIE Yxy (1931), L*a*b* (1976), L*C*H° (1976), and XYZ (1931); Hunter Lab] and four systems for measuring color difference [Δ (Yxy), Δ (L*a*b*), Δ (L*C*H*), and Hunter Δ (Lab)]. In addition, absolute color difference Δ E*_{sb} is also displayed when color difference is displayed in the Δ (L*a*b*) or Δ (L*C*H*) color systems, and absolute color difference Δ E is displayed in the Hunter Δ (Lab) color system.

For two colors to match, three quantities defining these colors must be identical. These three quantities are called tristimulus values X, Y, and Z as determined by the CIE (Commission Internationale de l'Eclairage) in 1931.

Color as perceived has three dimensions: hue, chroma, and lightness. Chromaticity includes hue and chroma (saturation), specified by two chromaticity coordinates. Since these two coordinates cannot describe a color completely, a lightness factor must also be included to identify a specimen color precisely.

XYZ Color System

X, Y, Z: Measured tristimulus values of specimen

The XYZ tristimulus values were defined in 1931 by the CIE, and form the basis for most calculations in all CIE color-coordinate systems.

Yxy Color System

In the Yxy (CIE 1931) color system, Y is a lightness factor expressed as a percentage based on a perfect reflectance of 100%. x and y are the chromaticity coordinates of the CIE 1931 x, y Chromaticity Diagram (shown below), and are defined by the following equations:

$$x = \frac{X}{X + Y + Z}$$
 $y = \frac{Y}{X + Y + Z}$

where

X, Y, Z: Measured tristimulus values of specimen

Color difference values ΔY , Δx , and Δy are calculated as follows:

$$\Delta Y = Y - Y_t$$

$$\Delta x = x - x_1$$


$$\Delta V = V - V_1$$

where

Y, x, y: Measured values of specimen

Yı, xı, yı: Values of target color

CIE 1931 x, y Chromaticity Diagram



13

AR.	Hopewell	Glory	Freedom
\ <u>\</u>	_	7	3

		^	0.372	0.372	0.370	ยง
		×	0.384	0.373	0.373	0.01
		>	20.61	25.31	22.89	US
No Tmt.			Hopewell 20,61 0:384 0:372	Glory	Freedom	LSD.05:
2	,		,,			

		To Code	Spike C	5000			
Gram: 190	7K 100 17	: 5	i i	3			
(Fiolii: 195	o incw v	anety Yier	(Fight: 1990 New Varety Yield Loss Study)	<u>s</u>			
		Fung					
PLOT	REP	Tmt.	VAR.	SAMPLE	>-	×	>
5	_	₹	7	78	32.52	0.3670	0.3671
106	τ	~	_	89	4.0	386	37
109	τ-	_	ന	67	-	53	36
112	τ	8	~	75	19.46	~	.372
	_	~	က	8	22.87	0.3722	0.3683
120	~	~	_	%	19.66	0.3942	.373
0	7	_	ന	83	22.68	0.3856	0.3801
	7	_	_	7	6	0.3890	ഗ
Ţ	7	~	~	72	22.01		ഗ
	~	7	က	82	•	0.3747	ŝ
216	7	N		76	19.68	0.3788	0.3708
—	~	~	7	87	ထ	.373	37
0	ന	_	_	8	တ	371	0.3709
307	ന	4-	က	79	25.81	0.3590	8
309	ന	~	7	99	33.14	0.3643	0.3637
	ന	~	8	ဓ	30.49	0.3740	
318	က	7	ო	73	13.59	38	0.3728
Ŋ	က	7		65	23.66	0.3796	8
403	4	N	ო	74	24.90	0.3683	0.3691
407	4	7	8	77	23.67	0.3761	0.3773
409	4	7	-	64	00	ŝ	0.3711
413	4	_	—	69	17.65	0.3869	0.3723
418	4	*	က	70	24.99	0.3679	0.3691
7.00	•						

Appendix III

9600363

Leaf (below flag leaf) Colorimeter readings of* four Soft Red Winter Wheats grown at Wooster, OH, 1995-96.

No		Υ	x	у
1	Glory	10.34	0.3243	0.3949
2	GR962	10.32	0.3253	0.3958
3	Freedom	10.68	0.3249	0.3959
4	Hopewell	11.04	0.3268	0.4283
	Mean	10.594	0.325	0.404
	LSD.05:	ns	ns	ns
	CV(%):	6.27	1.08	16,49

^{*}Colorimeter readings by Minolta Chroma Meter Cr-300

Yield co grown i	Yield comparisons of Hopewell, Freedom, and grown in drilled plots at 22 locations in Ohio,	m, and Ohio,	l Glory 1991-1994	, [994.												
	Yield (bu/a)															
	186	1992:					:866				1994:				2.3	22-loc
	Woo & Ct. Man. Cust. From Rep.	Woo.	S. Ch.	Mah. Fi	Free. I	Rip.	%% S.Ch.	Mah	Clast Free	R.	W00.	S. Ch.	Math. Fi	Free. R	Rip.	Mosen
Hopewell	674 479 821 381 384 522	100.0	30.0	70.2	114.9	<u>x</u>	73.9 SS	8.080	6	88.9	7 66.0	58.5	62.5	92.4	76.5	\$64
Freedom	58-6 42.7 45-4 52.7 61-8 49-9	100.0	28.8	82.1	98.4	51.5	69.3 51.6	6 71.7	36.8	87.5 93.0	9 66.4	58.4	61.5	92.7	73.2	950
Test Mean:	45.2 42.5 52.8	6'06	33,4	75.1	108.7	51.2	72.0 50	7 63.0	41.2	88.1 82.6	6 63.7	53.3	56.5	90.4	74.9	
LSD,05;	24 24 24 24	7.3	5.9	9.6	6,11	4.7	48	3.4	23	3.1	3.1	5.8	6.2	SU	8.5	

Data from Ohio tests comparing Hopewell, Freedom, and Glory

1991 Mean	4000	.,		
Mean	4000			
Mean	1992	1993	1994	22-loc.
	Mean	Mean	Mean	Mean
(6-loc.)	(5-loc)	(6-loc)	(5-loc)	
(0 100.)	(5 15 5)	(0.00)	(0 100)	
57.7	54.1	58.1	56.5	56,6
55.9	55.8	56.7	55.5	56.0
59.0	56.8	59.5		58.4*
	*16-locatio	ns		
ed (days fr	om Jan. 1)			· · · · · · · · · · · · · · · · · · ·
` •	,			
	1993	1994		
Mean	Mean	Mean	Mean	
(5-loc)	(6-loc)	(5-loc)		
444	145	144	444	
			2017/08/2010/09/2010/09/2010	
		140		
175	170	\$6	140	3
144	145	145		
1	1	1		
+	*11-locatio	ns		
ging				
1991	1992	1993	1994	22-loc.
	Mean	Mean	Mean	Mean
(6-loc.)	(5-loc)	(6-loc)	(5-loc)	
2.2	1.0	4.4	0.0	
				1.3 1.6
			4.3	0.9*
2.0	2.0	0.0		
*	17-locatio	ns		
(cm)				
. ,	4000	4000	400:	\$8500 CONTRACTOR
1991	1992	1993	1994	22-loc.
1991 Mean	Mean	Mean	Mean	22-loc. Mean
1991				305040400000000000000000000000000000000
1991 Mean (6-loc.)	Mean (5-loc)	Mean (6-loc)	Mean (5-loc)	Mean
1991 Mean (6-loc.)	Mean (5-loc) 88.9	Mean (6-loc) 82.8	Mean (5-loc) 88.4	Mean 86.4
1991 Mean (6-loc.)	Mean (5-loc)	Mean (6-loc)	Mean (5-loc)	Mean
	59.0 ed (days from 1992 Mean (5-loc) 144 147 145 144 1 ging 1991 Mean (6-loc.) 2.2 1.4 2.8	*16-location *16-location *16-location *1992	*16-locations *16-locations *2d (days from Jan. 1) 1992	**16-locations **16-locations **16-locations **16-locations **1992

* 17-locations

SOFT WHEAT QUALITY EVALUATION FOR WHEAT AND MILLING QUALITY 1992 CROP

WOOSTER, OHIO DRILL PLOT ENTRIES

STANDARD = #144, DYNASTY

SAMPLE NO.	ENTRY	MILLING BAK QUALITY QUA SCORE SC		TEST UT. LB/BU.	BREAK FLOUR YIELD	RED. PAS	ST. GR. FLOUR YIELD	FRIAB.	E.S.I.	FLOUR ASH	MILLAB.
*	STANDARD	 100.0 A 100	.0 A 100.0 A	60.3	34.8	7	76.0	28.12	10.8	0.374	108.20
*	BENCHMARK	102.0 A 107	.0 A 102.0 A	61.6	35.0	8	76.6	27.60	10.4	0.349	114.31
143 OHIO 144 OHIO 145 OHIO 146 OHIO 147 OHIO	CARDINAL DYNASTY EXCEL FREEDOM OH 449	108.2 A 73. 100.0 A 100. 98.8 B 105. 95.3 B 70. 92.2 C 60.	.0 A 100.0 A .6 A 98.8 B .9 F 70.9 F	60.0 60.3 59.2 59.7 59.7	28.81 * 34.80 36.57 27.60 q 31.15 *	7 7 7 7 7	77.2 76.0 76.1 75.8 74.9 Q	28.62 28.12 27.86 27.61 27.95	9.67 10.82 11.03 11.57 * 11.78 *	0.348 0.374 0.383 0.347 0.353	121.05 108.20 105.74 108.92 105.31
148 OHIO 149 OHIO 150 OHIO 151 OHIO 152 OHIO	OH 452 OH 464 OH 470 OH 483 OH 489	66.4 F 43. 93.6 C 60.	7 F 78.7 F 2 F 43.2 F 9 F 60.9 F 6 F 65.6 F 0 F 68.0 F	58.6 * 60.7 59.0 58.3 * 58.4 *	30.69 * 24.47 q 30.29 * 31.40 * 31.83	7 8 7 7	76.0 73.7 q 75.4 * 75.0 q 73.9 q	27.94 23.93 q 28.04 27.00 * 26.82 *	11.03 14.63 Q 11.98 * 11.64 * 13.07 Q	0.370 0.360 0.347 0.337 0.329	107.89 82.12 0 107.60 106.15 99.77
153 OHIO 154 OHIO 155 OHIO	OH 490-Hopewell OH 493 OH 498	84.2 E 80. 89.9 D 98. 100.3 A 90.		60.0	33.56 33.17 30.75 *	7 7 7	74.2 Q 75.4 * 75.8	27.12 * 26.90 * 28.59	12.66 Q 12.12 Q 10.96	0.339 0.395 0.378	100.87 95.97 * 107.85

SOFT WHEAT QUALITY EVALUATION FOR FLOUR AND BAKING QUALITY

1992 CROP

WOOSTER, OHIO DRILL PLOT ENTRIES

A. A. A.

STANDARD = #144, DYNASTY

SAMPLE NO.	ENTRY	BAKING QUALITY SCORE	FLOUR PROTEIN %	FLOUR ASH %	MICRO A.W.R.C. %	COOKIE DIAMETER CM.	TOP GRAIN	BREAK FLOUR
*	STANDARD	100.0 A	8.63	0.374	54.5	17.87	5 .	34.80
*	BENCHMARK	107.0 A	8.20	0.349	51.3	18.35	7 ,	35.00
143 OHIO 144 OHIO 145 OHIO 146 OHIO 147 OHIO	DYNASTY EXCEL FREEDOM	73.4 F 100.0 A 105.6 A 70.9 F 60.4 F	9.24 * 8.63 8.44 7.62 8.54	0.348 0.374 0.383 0.347 0.353	52.2 54.5 54.7 54.2 54.8	17.35 * 17.87 17.96 17.40 * 16.77 Q	6 5 5 6 4	28.81 * 34.80 36.57 27.60 Q 31.15 *
148 OHIO 149 OHIO 150 OHIO 151 OHIO 152 OHIO	ОН 452 ОН 464 ОН 470 ОН 483 ОН 489	78.7 F 43.2 F 60.9 F 65.6 F 68.0 F	9.43 * 8.48	0.370 0.360 0.347 0.337 0.329	52.6 57.9 * 54.0 55.4 55.3	17.41 * 16.15 Q 16.99 Q 17.19 * 17.23 *		30.69 * 24.47 9 * 30.29 * 31.40 * 31.83
153 OHIO 154 OHIO 155 OHIO	OH 490- Hopewell OH 493 OH 498	80.1 E 98.5 B 90.8 C	7.99 7.95 8.43	0.339 0.395 0.378	54.5 53.9 52.5	17.42 * 17.86 17.71	6 6	33.56 33.17 30.75 *

SOFT WHEAT QUALITY EVALUATION FOR WHEAT AND MILLING QUALITY

1994 CROP

STANDARD = #043, FREEDOM

DR. K.A. CAMPBELL WOOSTER, OHIO

	•			-						•			. (96	60	0	36
MILLAB	99.37	114.31	99.37	93.35	92.96	102.97	98.51	* 82.06	86.82	77.56 Q	90.03	123.39	114.72	99.19	110.08	100.32	109.46
FLOUR	0.381	0.349	0.381	0.374	0.352	0.336	0.345	0.356	0.385	0.409	0.402	0.346	0.362	0.360	0.351	0.357	0.380
E.S.1.	12.0	10.4	11.99	12.05	12.76 *	11.52	12.33	13.48 Q	12.98 *	13.77 Q	12.20	99.6	28.6	11.46	10.49	11.53	10.65
FRIAB	27.79	27.60	27.79	26.11 Q	25.73 Q	26.34 *	26.21	26.08 Q	25.97 Q	24.96 Q	26.68 *	29.79	29.11	27.05	28.16	26.55 *	29.08
ST. GR. FLOUR YIELD	74.9	76.6	74.9	74.1	73.7 Q	74.4	74.3	73.6 Q	73.6 Q	73.5 Q	74.3 *	76.9	75.8	74.0 Q	75.1	74.6	75.8
RED. PAS\$	_	€	. 7	7	80	7	7	~	7	œ	7		7	7	2	7	7
BREAK FLOUR YIELD	36.3	35.0	36.30	41.50	35.11	38.79	41.05	43.49	37.69	41.71	39.96	39.16	46.54	29.52 Q	36.74	34.23	41.53
TEST WT. LB/BU.	8.79	61.6	57.8	58.8	59.5	58.3	58.2	58.1	60.3	59.3	59.1	59.1	58.1	26.7	58.6	60.1	58.1
COMBINED QUALITY SCORE	100.0 A	104.7 A	100.0 A	91.6 C	86.7 D	95.2 B	91.7 C	84.9 D	86.1 D	80.2 E	93.4 C	110.0 A	107.8 A	79.9 F	9.66 B	91.8 C	108.3 A
BAKING QUALITY SCORE	100.0 A	104.7 A	100.0 A	93.0 C	92.0 C	106.4 A	106.4 A	104.6 A	105.0 A	105.3 A	107.3 A	110.0 A	107.8 A	79.9 ₣	99.6 B	91.8 C	108.3 A
MILLING E QUALITY C SCORE	100.0 A	106.1 A	100.0 A	91.6 C	86.7 D	95.2 B	91.7 C	84.9 D	86.1 D	80.2 E	93.4 C	110.0 A	110.0 A	95.7 B	105.1 A	96.3 B	110.0 A
ENTRY	STANDARD	BENCHMARK	FREEDOM	PION. 2548	CLARK	OH 483	OH 489	OH 490 - Hopewell	OH 492	OH 493	OH 498	OH 506	OH 515	OH 518	OH 526	OH 529	OH 530
SAMPLE EN NO.	LS .	* BE	43 FR	44 PIC	45 CL	46 OH	47 OH	48 (©)	49 OH	50 OH	51 OH	52 OH		54 OH	55 OH	92	₹ 20

) <u>(</u>			,										<u> </u>		<i>J Q J</i>	_			110	per	K.CK.I	٨		<u></u>		
			11/10/0	DIAM		0.20		17.4	18.0	183	2	17.9	18.0	2.0	16.6	17.6		17.9	17.1		17.8	17.2		17.0	17.8	2	
				AWRC		1.13		52.3	52.9	54.5		52.2	526	0.20	54.5	51.4		53.0	54.3	i c	50.5	51.6		51.7	53.9	2:00	
			FLOUR	ASH	0.046	0.0.0		14.0	0.43	0.43		0.43	0.37		0.43	0.39	000	0.39	0.45	0.44	14.0	0.39		0.43	0.45		
			FLOUR	PROTEIN	0.41	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	7.3	5.	8.2	8.0		8.1	7.8		8.5	8.3	7.2	+	8,8	7.7	1.1	8,3		8.1	8.0		
				BR. FL.	1.95		34.8	2:	36.8	37.9	1	37.5	41.2		78.5	34.4	30.3	0.00	38.8	34.0	2	36.5	1	3/.3	39.2		
				FRIAB	0.50		28.1		28.1	27.9	7 00	7.07	30.8	0	20.3	28.9	29.4		26.8	29.5	2	30.6	000	6.82	27.8		
	PLOTS			ESI	0.41		12.3		11.5	11.9	40.0	0.0	9.4	0.0	9.0	10.8	10.9		12.1	9.3		8.9	0.04	8.01	11.1		
				ST. GR.	0.33		75.3	L	4.0)	75.0	76.1	2	77.5	77.4	t.	76.1	76.1		74.5	77.7		7.77	70.5	0.0	75.6		
	1995 OHIO DRILL		MILL	SCORE	2.89		52.0	7	0.4.0	51.4	609	2	-7712 ave	69 7	3	61.8	63.2		45.3	##7/819#		44.87°	63.0	2.00	55.5		
			1000	KEK. WI.			34.0	2007	09.7	41.3	35.1		33.4	38.4		36.2	34.7		32.3	35.1		34.0	346	2	33.8		
99			IEST	WEIGHI	1.11		58.8	Seman G.O.O.Y.	1-00	60 772*	10:19a		*600°	60.3		**************************************	59.7		€60:8#	6013	The state of the s	61.3	1		59.5		
AUGUST 19, 1996		£ 5 6 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	COLTIVAR		LSD (revised)		FREEDOM	GR 962		HOPEWELL	OH 498		OH 515	OH 518		OH 526	OH 530		PIONEER 2548	OH 536		OH 507	OH 512		OH 532		

PARODUCE LOCALLY. Include form number and date on all reproductions.	FORM APPROVED - OMB N	0. 0581-0055 EXPIRES: 12-31-9								
U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE SCIENCE AND TECHNOLOGY DIVISION - PLANT VARIETY PROTECTION OFFICE EXHIBITE CTATEMENT OF THE PAGE OF CHARLEDONIES	The following statements are made in accordance with the Privacy Ac 1974 (5 U.S.C. 552a) and the Paperwork Reduction Act (PRA) of 1995 Application is required in order to determine if a plant variety protect certificate is to be issued (7 U.S.C. 2421). Information is held confident.									
STATEMENT OF THE BASIS OF OWNERSHIP	until certificate is issued (7 U.S.C.	2426).								
1. NAME OF APPLICANT(S) The Ohio State University, Ohio Agricultural	2. TEMPORARY DESIGNATION OR EXPERIMENTAL NUMBER	3. VARIETY NAME								
Research & Development Center										
	ОН 490	HOPEWELL								
4. ADDRESS (Street and No., or R.F.D. No., City, State, and ZIP Code, and Country)	5. TELEPHONE (include area code)	6. FAX (include area code)								
Dept. of Horticulture & Crop Science OSU/OARDC	(330) 263-3885	(330) 263-3887								
1680 Madison Avenue	7. PVPO NUMBER 9	600363								
Wooster, OH 44691-4096										
8. Does the applicant own all rights to the variety? Mark an "X" in appropriate b	lock. If no, please explain.	X YES NO								
· · · · · · · · · · · · · · · · · · ·										
9. Is the applicant (individual or company) a U.S. national or U.S. based company If no, give name of country	?	X YES NO								
10. Is the applicant the original breeder? If no, please answer the following:		X YES NO								
a. If original rights to variety were owned by individual(s): Is (are) the original breeder(s) a U.S. national(s)? If no, give name of contents	ountry									
		YES NO								
b. If original rights to variety were owned by a company: Is the original breeder(s) U.S. based company? If no, give name of cou	intry									
11. Additional explantion on ownership (If needed, use reverse for extra space):										
See attached Statement & Appendix IX										
PLEASE NOTE:										
LEASE NOIE.										
Plant variety protection can be afforded only to owners (not licensees) who meet or	ne of the following criteria:									
. If the rights to the variety are owned by the original breeder, that person must of a country which affords similar protection to nationals of the U.S. for the same		JPOV member country, or national								
 If the rights to the variety are owned by the company which employed the origin nationals of a UPOV member country, or owned by nationals of a country which genus and species. 	nal breeder(s), the company must affords similar protection to natio	be U.S. based, owned by onals of the U.S. for the same								
. If the applicant is an owner who is not the original breeder, both the original bre	eder and the applicant must mee	t one of the above criteria.								
he original breeder may be the individual or company who directed final breedi	ng. See Section 41(a)(2) of th	e Plant Variety Protection Act for								

definition.

Public reporting burden for this collection of information is estimated to average 10 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other espect of this collection of information, including suggestions for reducing this burden, to Department of Agriculture, Clearance Officer, OIRM, AG Box 7530, Jamie L. Whitten Building, Washington, D.C. 20250. When replying, refer to OMB No. 0581-0055 and form number in your letter.

Under the PRA of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control num

The U.S. Department of Agriculture (USDA) prohibits discrimination in its programs on the basis of race, color, national origin, sex, religion, age, disability, political beliefs, and marital or familial status. [Not all prohibited bases apply to all programs]. Persons with disabilities who require alternative means for communication of program information (braille, large print, audiotape, etc.) should contact the USDA Office of Communications at (202) 720-2791.

To file a complaint, write the Secretary of Agriculture, U.S. Department of Agriculture, Washington, D.C. 20250, or call (202) 720-7327 (voice) or (202) 720-1127 (TDO). USOA is an equal employment opportunity employer.

Exhibit E

Statement of the Basis of Applicant's Ownership

The originating crosses, early line increase and evaluation, selection, reselection, testing, purification, and final multiplication were all performed by the applicant breeder (Dr. Kimberly Garland Campbell), her predecessor (Dr. H. N. Lafever) or technical assistants (Robert W. Gooding, Larry D. Herald, and Richard J Minyo) on the property of The Ohio State University, Ohio Agricultural Research and Development Center, utilizing funds provided for such research. The Ohio State University Policy on Patents and Copyrights section 1.C. affirms the University's right and policy, consistent with applicable law, of ownership of all legal rights in products of University Research. As specified by this policy, ownership of the cultivar shall remain with The Ohio State University, Ohio Agricultural Research and Development Center.